

# Lecture Notes on Register Allocation

15-411: Compiler Design  
Frank Pfenning

Lecture 3  
September 1, 2009

## 1 Introduction

In this lecture we discuss register allocation, which is one of the last steps in a compiler before code emission. Its task is to map the potentially unbounded numbers of variables or “temp”s in pseudo-assembly to the actually available registers on the target machine. If not enough registers are available, some values must be saved to and restored from the stack, which is much less efficient than operating directly on registers. Register allocation is therefore of crucial importance in a compiler and has been the subject of much research. Register allocation is also covered thoroughly in the textbook [App98, Chapter 11], but the algorithms described there are complicated and difficult to implement. We present here a simpler algorithm for register allocation based on *chordal graph coloring* due to Hack [Hac07] and Pereira and Palsberg [PP05]. Pereira and Palsberg have demonstrated that this algorithm performs well on typical programs even when the interference graph is not chordal. The fact that we target the x86-64 family of processors also helps, because it has 16 general registers so register allocation is less important than for the x86 with only 8 registers (ignoring floating-point and other special purpose registers).

Most of material below is based on Pereira and Palsberg [PP05]<sup>1</sup>, where further background, references, details, empirical evaluation, and examples can be found.

---

<sup>1</sup>Available at <http://www.cs.ucla.edu/~palsberg/paper/aplas05.pdf>

## 2 Building the Interference Graph

Two variables need to be assigned to two different registers if they need to hold two different values at some point in the program. This question is undecidable in general for programs with loops, so in the context of compilers we reduce this to *liveness*. A variable is said to be *live* at a given program point if it will be used in the remainder of the computation. Again, we will not be able to accurately predict at compile time whether this will be the case, but we can approximate liveness through a particular form of *dataflow analysis* discussed in the next lecture. In our simple straight-line expression language, this is particularly easy. We traverse the program backwards, starting at the last line. We note that the return register, `%eax`, is live after the last instruction. If a variable is live on one line, it is live on the preceding line unless it is assigned to. And a variable that is used on the right-hand side of an instruction is live for that instruction.

As an example, we consider the simple straight-line computation of the fifth Fibonacci number, in our pseudo-assembly language. We list with each instruction the variables that are live *before* the line is executed. These are called the variables *live-in* to the instruction.


$f_1$	$\leftarrow 1$	.
$f_2$	$\leftarrow 1$	$f_1$
$f_3$	$\leftarrow f_2 + f_1$	$f_2, f_1$
$f_4$	$\leftarrow f_3 + f_2$	$f_3, f_2$
$f_5$	$\leftarrow f_4 + f_3$	$f_4, f_3$
<code>%eax</code>	$\leftarrow f_5$	$f_5$
		<code>%eax</code>

The nodes of the *interference graph* are the variables and registers of the program. There is an undirected edge between two nodes if the corresponding variables interfere and should be assigned to different registers. There are never edges from a node to itself. We distinguish the two forms of instructions.

- For an instruction  $t \leftarrow s_1 \oplus s_2$  we create an edge between  $t$  and any different variable  $t_i$  live after this line.  $t$  and  $t_i$  should be assigned to different registers, because otherwise the assignment to  $t$  could destroy the proper contents of  $t_i$ .
- For a move instruction  $t \leftarrow s$  we create an edge between  $t$  and any variable  $t_i$  live after this line different from  $t$  and  $s$ . We omit the potential edge between  $t$  and  $s$  because if they happen to be assigned

to the same register, they still hold the same value after this (now redundant) move. Of course, there may be other occurrences of  $t$  and  $s$  which force them to be assigned to different registers.

For the above example, we obtain the following interference graph.



Here, the register `%eax` is special, because, as a register, it is already predefined and cannot be arbitrarily assigned to another register. Special care must be taken with predefined registers during register allocation; some additional remarks in Section 9.

### 3 Register Allocation via Graph Coloring


Once we have constructed the interference graph, we can pose the register allocation problem as follows: construct an assignment of  $K$  colors (representing  $K$  registers) to the nodes of the graph (representing variables) such that no two connected nodes are of the same color. If no such coloring exists, then we have to save some variables on the stack which is called *spilling*.

Unfortunately, the problem whether an arbitrary graph is  $K$ -colorable is NP-complete for  $K \geq 3$ . Chaitin [Cha82] has proved that register allocation is also NP-complete by showing that for any graph  $G$  there exists some program which has  $G$  as its interference graph. In other words, one cannot hope for a theoretically optimal and efficient register allocation algorithm that works on all machine programs.

Fortunately, in practice the situation is not so dire. One particularly important intermediate form is *static single assignment* (SSA). Hack [Hac07] observed that for programs in SSA form, the interference graph always has a specific form called *chordal*. Coloring for chordal graphs can be accomplished in time  $O(|V| + |E|)$  and is quite efficient in practice. Better yet, Pereira and Palsberg [PP05] noted that as much as 95% of the programs occurring in practice have chordal interference graph. Moreover, using the algorithms designed for chordal graphs behaves well in practice even if the graph is not quite chordal. Finally, the algorithms needed for coloring chordal graphs are quite easy to implement compared, for example, to the complex algorithm in the textbook. You are, of course, free to choose any algorithm for register allocation you like, but we would suggest one based on chordal graphs explained in the remainder of this lecture.

## 4 Chordal Graphs

An undirected graph is *chordal* if every cycle with 4 or more nodes has a chord, that is, an edge not part of the cycle connecting two nodes on the cycle. Consider the following three examples:



Only the second one is chordal. In the other two, the cycle  $abcd$  does not have a chord.

On chordal graphs, optimal coloring can be done in two phases, where optimal means using the minimum number of colors. In the first phase we determine a particular ordering of the nodes called *simplicial elimination ordering*, in the second phase we apply *greedy coloring* based on this order. These are explained in the next two sections.

## 5 Simplicial Elimination Ordering

A node  $v$  in a graph is *simplicial* if its neighborhood forms a clique, that is, all neighbors of  $v$  are connected to each other. An ordering  $v_1, \dots, v_n$  of the nodes in a graph is called a *simplicial elimination ordering* if every node  $v_i$  is simplicial in the subgraph  $v_1, \dots, v_i$ . Interestingly, a graph has a simplicial elimination ordering if and only if it is chordal. We can find a simplicial elimination ordering using *maximum cardinality search*, which can be implemented to run in  $O(|V| + |E|)$  time. The algorithm associates a weight  $\text{wt}(v)$  with each vertex which is initialized to 0 updated by the algorithm. We write  $N(v)$  for the neighborhood of  $v$ , that is, the set of all adjacent nodes.

If the graph is not chordal, the algorithm will still return some ordering although it will not be simplicial. Such an ordering can still be used in the coloring phase, but does not guarantee that only the minimal numbers of colors will be used.

*Algorithm:* Maximum cardinality search  
*Input:*  $G = (V, E)$  with  $|V| = n$   
*Output:* A simplicial elimination ordering  $v_1, \dots, v_n$

For all  $v \in V$  set  $\text{wt}(v) \leftarrow 0$   
 Let  $W \leftarrow V$   
 For  $i \leftarrow 1$  to  $n$  do  
 Let  $v$  be a node of maximal weight in  $W$   
 Set  $v_i \leftarrow v$   
 For all  $u \in W \cap N(v)$  set  $\text{wt}(u) \leftarrow \text{wt}(u) + 1$   
 Set  $W \leftarrow W - \{v\}$

In our example,

$f_1 — f_2 — f_3 — f_4 — f_5$       %eax

if we pick  $f_1$  first, the weight of  $f_2$  will become 1 and has to be picked second, followed by  $f_3$  and  $f_4$ . Only  $f_5$  is left and will come last, ignoring here %eax which is already colored. It is easy to see that this is indeed a simplicial elimination ordering.  $f_2, f_4, f_3, \dots$  is not, because the neighborhood of  $f_3$  in the subgraph  $f_2, f_4, f_3$  does not form a clique.

## 6 Greedy Coloring


Given an ordering, we can apply greedy coloring by simply assigning colors to the vertices in order, always using the lowest available color. Initially, no colors are assigned to nodes in  $V$ . We write  $\Delta(G)$  to the maximum out-degree of a node in  $G$ .

*Algorithm:* Greedy coloring  
*Input:*  $G = (V, E)$  and sequence  $v_1, \dots, v_n$ .  
*Output:* Assignment  $\text{col}(v) = c$ ,  $0 \leq c \leq \Delta(G)$ ,  $v \in V$ .

For  $i \leftarrow 1$  to  $n$  do  
 Let  $c$  be the lowest color not used in  $N(v_i)$   
 Set  $\text{col}(v_i) \leftarrow c$

The algorithm will always assign at most  $\Delta(G)+1$  colors. If the ordering is a simplicial elimination ordering, the result is furthermore guaranteed to use the fewest possible colors.

In our example, we would just alternate color assignments:



Of course, `%eax` is represented by one of the colors. Assuming this color is 0 and `%edx` is the name of register 1, we obtain the following program:

```

%eax ← 1
%edx ← 1
%eax ← %edx + %eax
%edx ← %eax + %edx
%eax ← %edx + %eax
%eax ← %eax
  
```

It should be apparent that some optimizations are possible. Some are immediate, such as the redundant move of a register to itself. We discuss on other one called *register coalescing* in Section 8.

## 7 Register Spilling

So consider that we have applied the above coloring algorithm and it turns out that there are more colors needed than registers available. In that case we need to save some temporary values. In our runtime architecture, the stack is the obvious place. One convenient way to achieve this is to simply assign stack slots instead of registers to some of the colors. The choice of which colors to spill can have a drastic impact on the running time. Pereira and Palsberg suggest two heuristics: (i) spill the least-used color, and (ii) spill the highest color assigned by the greedy algorithm. For programs with loops and nested loops, it may also be significant *where* in the programs the variables or certain colors are used: keeping variables used frequently in inner loops may be crucial for certain programs.

Once we have assigned stack slots to colors, it is easy to rewrite the code using temps that are spilled if we reserve a register in advance for moves to and from the stack when necessary. For example, if `%r11` on the x86-64 is reserved to implement save and restore when necessary, then

$$t \leftarrow t + s$$

where  $t$  is assigned to stack offset 8 and  $s$  to `%eax` can be rewritten to

```
%r11    ← 8(%rsp)
%r11    ← %r11 + %eax
8(%rsp) ← %r11
```

Sometimes, this is unnecessary because some operations can be carried out directly with memory references. So the assembly code for the above could be shorter

```
ADDL %eax, 8(%rsp)
```

although it is not clear whether and how much more efficient this might be than a 3-instruction sequence

```
MOVL 8(%rsp), %r11
ADDL %eax, %r11
MOVL %r11, 8(%rsp)
```

We recommend generating the simplest uniform instruction sequences for spill code.

## 8 Register Coalescing

After register allocation, a common further optimization is used to eliminate register-to-register moves called *register coalescing*. Algorithms for register coalescing are usually tightly integrated with register allocation. In contrast, Pereira and Palsberg describe a relatively straightforward method that is performed entirely after graph coloring called *greedy coalescing*.

The algorithm considers each move between variables  $t \leftarrow s$  occurring in the program in turn. If  $t$  and  $s$  they are the same color, the move can be eliminated without further action. If there is an edge between them, that is, they interfere, they cannot be coalesced. Otherwise, if there is a color  $c$  which is not used in the neighborhoods of  $t$  and  $s$ ,  $N(t) \cup N(s)$ , and which is smaller than the number of available registers, then the variables  $t$  and  $s$  are coalesced into a single new variable  $u$  with color  $c$ . We create edges from  $u$  to any vertex in  $N(t) \cup N(s)$  and remove  $t$  and  $s$  from the graph. Because of the tested condition, the resulting graph is still  $K$ -colored, where  $K$  is the number of available registers. Of course, we also need to eventually rewrite the program appropriately to maintain a correspondence with the graph.

## 9 Precolored Nodes

Some instructions on the x86-64, such as `TDIV`, require their arguments to be passed in specific registers and return their results also in specific registers. There are also `call` and `ret` instructions that use specific registers and must respect caller-save and callee-save register conventions. We will return to the issue of calling conventions later in the course. When generating code for a straight-line program as in the first lab, some care must be taken to save and restore callee-save registers in case they are needed.

First, for code generation, the live range of the fixed registers should be limited to avoid possible correctness issues and simplify register allocation.

Second, for register allocation, we can construct an elimination ordering as if all precolored nodes were listed first. This amounts to the initial weights of the ordinary vertices being set to the number of neighbors that are precolored before the maximum cardinality search algorithm starts. The resulting list may or may not be a simplicial elimination ordering, but we can nevertheless proceed with greedy coloring as before.

## 10 Summary

Register allocation is an important phase in a compiler. It uses liveness information on variables to map unboundedly many variables to a finite number of registers, spilling temporaries onto stack slots if necessary. The algorithm described here is due to Hack [Hac07] and Pereira and Palsberg [PP05]. It is simpler than the one in the textbook and appears to perform comparably. It proceeds through the following passes:

1. **Build** the interference graph from the liveness information.
2. **Order** the nodes using maximum cardinality search.
3. **Color** the graph greedily according to the elimination ordering.
4. **Spill** if more colors are needed than registers available.
5. **Coalesce** non-interfering move-related nodes greedily.

The last step, coalescing, is an optimization which is not required to generate correct code. Variants such as a separate spilling pass before coloring are described in the references above can further improve the efficiency of the generated code.

## References

- [App98] Andrew W. Appel. *Modern Compiler Implementation in ML*. Cambridge University Press, Cambridge, England, 1998.
- [Cha82] Gregory J. Chaitin. Register allocation and spilling via graph coloring. In *Proceedings of the Symposium on Compiler Construction*, pages 98–105, Boston, Massachusetts, June 1982. ACM Press.
- [Hac07] Sebastian Hack. *Register Allocation for Programs in SSA Form*. PhD thesis, Universität Karlsruhe, October 2007.
- [PP05] Fernando Magno Quintão Pereira and Jens Palsberg. Register allocation via coloring of chordal graphs. In K.Yi, editor, *Proceedings of the Third Asian Symposium on Programming Languages and Systems (APLAS'05)*, pages 315–329, Tsukuba, Japan, November 2005. Springer LNCS 3780.